



CONSUMER PRODUCTS SERVICES DIVISION

ORN INTERNATIONAL

Technical Report: 66162310715
Date Received: AUG. 18, 2016
Mod. Date: /

SEP.01, 2016
Page 1 of 6

EDWYN TUNLEY
UNIT 15 BEAUMONT CLOASE, BANBURY,
OXFORDSHIRE OX16 1TP GREAT BRITAIN(UK)

Sample Description:	ROCHESTER STOOL	PO No.:	/
Manufacturer:	/	Style No	V1000
Buyer:	/	Country of	UK
Country of Origin:	/	Destination:	/
Color:	/	SKU No.:	/
Protocol No.:	/	Previous Report No.:	/

TEST INFORMATION & EXECUTIVE SUMMARY

Evaluation To: For compliance with: -
BS EN 16139:2013 Furniture – strength, durability and safety requirements for non-domestic seating (LEVEL 1)

Standards Employed: As specified in above standard(s) and incorporated with
1. EN 1022:2005, Domestic furniture – seating – determination of stability
2. EN 1728:2012, Domestic furniture – seating –test methods for the determination of strength and durability

Conclusions: The tested sample COMPLIES with the above standard: BS EN 16139:2013 (LEVEL 1).

REMARK:

The client specifies the test methods and requirements.

SHA/TL/GL/H/AW

Bureau Veritas
Consumer Products Services, Inc.
(Lab Address)
(Telephone Fax)
website:cps.bureauveritas.com

This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at <http://www.bureauveritas.com/cps> and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.



BVCPS (SHANGHAI) GENERAL CONTACT INFORMATION FOR THIS REPORT

1.

TELEPHONE NO 86-21-24166888
E-MAIL: bvcpshtoy.sh@cn.bureauveritas.com

**BUREAU VERITAS
CONSUMER PRODUCTS SERVICE DIVISION (SHANGHAI)**

ANDY WANG
SENIOR OPERATION MANAGER (HARDLINE DIVISION)

SUMMARY OF EXAMINATION

Introduction:

An examination was requested to ascertain compliance with the requirement(s) as detailed on page one of this report. The following clauses were considered applicable and our findings were as follows:

BS EN 16139:2013			
Clause	Description	Result	*Comments
BS EN 16139: 2013 Clause 4.1	General safety	PASS	--
BS EN 16139: 2013 Clause 4.2.1	Shear and squeeze points when setting up and folding	NA	See note I
BS EN 16139: 2013 Clause 4.2.2	Shear and squeeze points under influence of powered mechanism	NA	See note I
BS EN 16139: 2013 Clause 4.2.3	Shear and squeeze points during use	PASS	--
BS EN 16139: 2013 Clause 4.3	Stability	PASS	--
BS EN 16139: 2013 Clause 4.4/ EN 1335-3:2009 Clause 7.4	Rolling resistance of the unloaded chair	NA	See note I
BS EN 16139: 2013 Clause 4.5 / EN 1728: 2012 Clause 6.4	Seat and back static load test	PASS	--
BS EN 16139: 2013 Clause 4.5 / EN 1728: 2012 Clause 6.5	Seat front edge static load test	PASS	--
BS EN 16139: 2013 Clause 4.5 / EN 1728: 2012 Clause 6.6	Vertical static load on back	PASS	--
BS EN 16139: 2013 Clause 4.5 / EN 1728: 2012 Clause 6.8, 6.9	Foot rest and leg rest static load test	NA	See note I
BS EN 16139: 2013 Clause 4.5 / EN 1728: 2012 Clause 6.10	Arm sideways static load test	NA	See note I
BS EN 16139: 2013 Clause 4.5 / EN 1728: 2012 Clause 6.11	Arm downwards static load test	NA	See note I
BS EN 16139: 2013 Clause 4.5 / EN 1728: 2012 Clause 6.13.1, 6.13.2	Vertical upwards static load on arm rests	NA	See note I
BS EN 16139: 2013 Clause 4.5 / EN 1728: 2012 Clause 6.17	Seat and back durability test	PASS	--
BS EN 16139: 2013 Clause 4.5 / EN 1728: 2012 Clause 6.18	Seat front edge durability test	PASS	--
BS EN 16139: 2013 Clause 4.5 / EN 1728: 2012 Clause 6.20	Arm durability test	NA	See note I

BS EN 16139: 2013 Clause 4.5 / EN 1728: 2012 Clause 6.21	Foot rest durability test	NA	See note I
BS EN 16139: 2013 Clause 4.5 / EN 1728: 2012 Clause 6.15	Leg forward static load test	PASS	--
BS EN 16139: 2013 Clause 4.5 / EN 1728: 2012 Clause 6.16	Leg sideways static load test	PASS	--
BS EN 16139: 2013 Clause 4.5 / EN 1728: 2012 Clause 6.24	Seat impact test	PASS	--
BS EN 16139: 2013 Clause 4.5 / EN 1728: 2012 Clause 6.25	Back impact test	PASS	--
BS EN 16139: 2013 Clause 4.5 / EN 1728: 2012 Clause 6.26	Arm impact test	NA	See note I
BS EN 16139: 2013 Clause 4.5 / EN 1728: 2012 Clause 6.27.1	Drop test (multiple seating)	NA	See note I
BS EN 16139: 2013 Clause 4.5 / EN 1728: 2012 Clause 6.14	Auxiliary writing surface static load test	NA	See note I
BS EN 16139: 2013 Clause 4.5 / EN 1728: 2012 Clause 6.22	Auxiliary writing surface durability test	NA	See note I
7	Information for use	NR	See note III

ANNEX I: SUBMISSION DESCRIPTION

Sample Description: /

The overall dimension was recorded as: 45 cm (D) x52 cm (W) X 81 cm (H)

Recorded Weight: 3.6kg

ANNEX II: ADDITIONAL COMMENTS

- I NA = Not applicable.
- II Detail results of EN 1022:2005:

EN1022:2005(Experimental Method)			
Clause	Description	Result	*Comments
6.2	Forward overbalancing, all seating	PASS	--
6.3	Forward overturning for seating with footrest	NA	See note I
6.4	Sideways overbalancing, all seating without arms	PASS	--
6.5	Sideways overbalancing, all seating with arms	NA	See note I
6.6	Rearward overbalancing, all seating with backs	PASS	--
7.3	Tilting chairs	NA	See note I
7.4	Rocking chairs	NA	See note I
7.5	Reclining chairs with footrest	NA	See note I
7.6	Footrest test	NA	See note I
7.7	Reclining chairs without footrest	NA	See note I

- III NR = Not Requested as per client request